Ref #	Hits	Search Query	DBs	Default Operator	Plurais	Time Stamp
L1	2253218	trac\$4 profil\$4 instrument\$5	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2004/12/21 09:00
	1.		DERWENT; IBM_TDB	17		
L2	3781	stack with (ID or identification identifier or name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:56
L5	5776	compil\$4 with (pre switch option	US-PGPUB;	OR	ON	2004/12/21 09:03
		before)	USPAT; EPO; JPO; DERWENT; IBM_TDB			*
L6	0	1 same 2 same 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 09:04
L10	132	1 and 2 and 5	US-PGPUB; USPAT;	OR	ON	2004/12/21 10:22
			EPO; JPO; DERWENT; IBM_TDB			
L11	411	1 same 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 09:04
L12	440	1 same 5	US-PGPUB;	OR	ON	2004/12/21-09:05
			USPAT; EPO; JPO;			
			DERWENT; IBM_TDB			
L13	1017839	instance\$1 instantiation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:23
L14	3692526	object\$1 class\$1 module\$1	US-PGPUB;	OR	ON	2004/12/21 10:23
•			USPAT; EPO; JPO; DERWENT; IBM_TDB			
L15	11356	13 near 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:24

L16	26	15 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2004/12/21 10:24
L17	3157749	ID or identification identifier or name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÖN	2004/12/21 10:56
L18	323	15 near 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 11:01
L19	2	18 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	0	2004/12/21 10:57
L20	12	18 same 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 11:46
L21	2	"5950003".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 11:46
L22	2	"6314558".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 12:41

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	328527	(stack filo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 10:04
S2	952761	push\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 10:04
S3	517678	unwind\$3 trace\$3 walk\$3	US-PGPUB;	OR	ON	2004/12/08 10:05
			USPAT; EPO; JPO; DERWENT; IBM_TDB	-		
S4	8828255	method procedure function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2004/12/08 10:06
S ₅	3446280	enter\$3 exit\$3 start\$3 leave\$3	US-PGPUB;	OR	ON	2004/12/08 10:07
			USPAT; EPO; JPO; DERWENT;			
× .			IBM_TDB			
S6	1638200	compile\$2 link\$2 build\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 10:08
S 7	14579	S2 with S1	US-PGPUB;	OR	ON	2004/12/08 10:08
-			USPAT; EPO; JPO;			
· •			DERWENT; IBM_TDB			
S8	505	S3 near S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 10:08
S9	108343	S4 near2 S5	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2004/12/08 10:18
	,		DERWENT; IBM_TDB		- ta	
S10	25	S9 with S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 10:19

S11	8	("5317740" "5367703" "5579520" "5598560" "5613118" "5659752" "5768592" "5787285").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/08 10:35
S12	0	S8.src. and "497606".ap.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/08 11:12
S13	1496042	(id identification)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/08 11:13
S14		(stack adj frame) with S13	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/08 11:17
S15		"10".src. and "047011".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:48
S16	736	call adj stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:48
S17	1838	stack adj frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:48
S18	890598	event exception debug	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:49
S19	627931	trace implement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:49
\$20 [°]	1092472	id identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:50
S21	60	(S16 or S17) with S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:51

S22	43	S21 and S18 and S19	US-PGPUB;	OR	ON	2004/12/20 13:51
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S23	2,	"6665793".pn.	US-PGPUB;	OR	ON	2004/12/20 14:30
	-		USPAT; EPO; JPO;			9 1
			DERWENT; IBM_TDB		.;	
S24	2	"5628016".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:00
S25	2	"6289446".pn.	US-PGPUB; USPAT;	OR	ON	2004/12/20 15:44
	# T		EPO; JPO; DERWENT; IBM_TDB			
S26	. 2	"6311325".pn.	US-PGPUB;	OR	ON	2004/12/20 15:56
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S27	54	("4520441" "4703417" "4841439" "4866599" "4868738" "5003458"	US-PGPUB; USPAT;	OR	ON	2004/12/20 16:18
0		"5047919" "5355487" "5408650" "5611061" "5613118" "5764944"	EPO; JPO; DERWENT;			
		"5768500" "5784554" "5802371" "5828883" "5928369" "5933640"	IBM_TDB			, X _a
*		"5940871" "5948112" "6002872" "6055492" "6077312" "6158024"				
		"6282701" "6332117" "6349406"). pn.			a Tinamini abi	
S28	4	("6003872" "6055492").pn.	US-PGPUB;	OR	ON	2004/12/20 16:20
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S29	866490	"09".src. "052329".ap.	US-PGPUB; USPAT;	OR	ON	2004/12/20 16:21
			EPO; JPO;			
			DERWENT; IBM_TDB			
S30	1	"09".src. and "052329".ap.	US-PGPUB; USPAT;	OR	ON	2004/12/20 16:21
			EPO; JPO; DERWENT; IBM_TDB			

S31	·	2	"6662358".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2004/12/20 16:32
				IBM_TDB			

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	8	("5579520" "6110226" "5926631" "6131187").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:53
S7	1420	717/127-133,140.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:54
S8	1273480	exception\$1 throw catch error\$1 breakpoint\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:56
S9	855799	stack push pop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 09:56
S10	3241123	id identifier unique tag name	US-PGPUB;	OR	ON	2004/12/07 10:00
	The state of the s		USPAT; EPO; JPO; DERWENT; IBM_TDB	en e		
S11	210	S8 with S9 with S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 10:23
S12	12680	procedure near (enter exit start end)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 10:02
S13	1417567	push add	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 10:00
S14	2927409	id identifier tag name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 10:00
S15	328125	stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 10:01

S16	0	S12 with S13 with S14 with S15	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2004/12/07 10:01
			DERWENT; IBM_TDB			
S18	13210	procedure near (enter\$2 exit\$2 start end)	US-PGPUB; USPAT;	OR	ON	2004/12/07 11:30
	1 \$ 1	**	EPO; JPO; DERWENT; IBM_TDB		, - , -	
S19	2348	S13 near S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:16
S20	1	S18 same S14 same S19	US-PGPUB; USPAT;	OR	ON	2004/12/07 10:04
			EPO; JPO; DERWENT;			
S21	355	stack near trace	IBM_TDB US-PGPUB;	OR	ON	2004/12/07 10:26
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S22	25	exception with S21	US-PGPUB; USPAT;	OR.	ON	2004/12/07 10:27
			EPO; JPO; DERWENT; IBM_TDB			
S23	42353	(method procedure) near (enter\$2 exit\$2 start end)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 11:31
S24	. 1:	S23 with S19	US-PGPUB; USPAT;	OR	ON	2004/12/07 11:32
			EPO; JPO; DERWENT; IBM_TDB			
S25	4	S23 same S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 11:40
S26	2691	(exception intrupt) near handle\$3	US-PGPUB; USPAT;	OR	ON	2004/12/07 11:42
			EPO; JPO; DERWENT; IBM_TDB	\$		A CAST AS A CAST

S27	83	S26 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 11:42
S28	180	S26 with (S19 S15)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 14:24
S29	455	stack near (trace\$3 unwind\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 14:25
S30	7853349	(method procedure call)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 14:26
S31	53	S7 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 14:26
S32	157	S29 with S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 14:26
S33	42	S32 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 14:56
S34	2	"6055492".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 14:57
S35	1417567	push add	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:16
S36	328125	stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:16

S37	2348	S35 near S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:16
S38	455	stack near (trace\$3 unwind\$3)	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2004/12/08 08:50
			DERWENT; IBM_TDB			
S39	62	S37 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:16
S40	22	S37 same S38	US-PGPUB;	OR	ON	2004/12/08 08:17
	-		USPAT; EPO; JPO;			
			DERWENT; IBM_TDB			
S41	3	S37 with S38	US-PGPUB;	OR	ON	2004/12/08 08:18
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S42	1219165	compil\$4 link\$2	US-PGPUB; USPAT;	OR	ON	2004/12/08 08:19
			EPO; JPO; DERWENT;			
			IBM_TDB			
S43	12	S42 with S37	US-PGPUB;	OR	ON	2004/12/08 08:19
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S44	0	S43 and S38	US-PGPUB;	OR	ON	2004/12/08 08:19
	***		USPAT; EPO; JPO;		ar dir.	
	<u>.</u>		DERWENT; IBM_TDB			
S45	1088742	trace implement\$5	US-PGPUB;	OR	ON	2004/12/08 08:53
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S46	455	stack near (trace\$3 unwind\$3)	US-PGPUB; USPAT;	OR	ON	2004/12/08 08:53
	· ¿		EPO; JPO; DERWENT; IBM_TDB			

S48	290	S46 and implement\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:54
S49	53	S46 same implement\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:54
S50	26	S46 with implement\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:54
S51	2	("6158024" "6282701").PN.	US-PGPUB; USPAT; USOCR	OR	ON .	2004/12/08 09:10
S52	40	("6282701").URPN.	USPAT	OR	ON	2004/12/08 09:12